Seven Dimensions of Access to Sexual and Reproductive Health Care for Youth

Asari Offiong, Julia Tallant, Katelyn Rust, Abigail Wulah, and Lee Ann Huang

Overview

This brief summarizes available research on seven dimensions of access to sexual and reproductive health care. Our goal is to inform youth-supporting professionals about the complexity of access for youth who have experienced the child welfare and/ or justice systems, homelessness, and/or disconnection from school and work (i.e., opportunity youth). Understanding the dimensions of access is critical to supporting the sexual health of—and preventing unintended pregnancy among—young people with these experiences.

Below are the key takeaways from this brief.

- There are three phases of access to sexual and reproductive health care—discovering, seeking, and receiving—which are comprised of seven dimensions that further explain whether and how youth access sexual and reproductive health care.
- Understanding the seven dimensions of access can help youth-supporting professionals increase access to sexual and reproductive health care services among the youth they serve.
- Research and resources specific to youth who have experienced the child welfare and/or justice systems, homelessness, and disconnection from work/school are limited.
- Changing contexts make it difficult to track current policies and their impacts on access to sexual and reproductive health care among youth.

We begin with background information on why access to sexual and reproductive health care is important for youth who have experienced the child welfare and/or justice systems, homelessness, and/or disconnection from school and work. Next, we define the seven dimensions of access, drawing upon two conceptual frameworks, and describe our methods for developing the research summary. Then, we

Activate: The Center to Bring Adolescent Sexual and Reproductive Health Research to Youth- Supporting Professionals *bridges the gap between research and practice in support of the Office of Population Affairs' aims to promote adolescent health and prevent unintended teen pregnancy. Activate translates research and creates research-based resources for use by professionals who support young people experiencing the child welfare and/or justice systems, homelessness, and/ or disconnection from school and work (i.e., opportunity youth).*



discuss each dimension and related literature from the past five years. Last, we consider and reflect on practice implications for youth-supporting professionals. The contents of this research summary are relevant to youth-supporting professionals who want to increase access to sexual and reproductive health care among these young people regardless of the setting in which they work.

Background

In the United States, an estimated 4.2 million youth and young adults experience homelessness each year,[1] about 110,000 youth and young adults ages 13 and older are in foster care on a single day,[2] nearly 25,000 youth are held daily in a juvenile justice facility,[3-5] and 4.7 million youth ages 16 to 24 are disconnected from work or school.[6] Despite their unique needs, youth with these experiences often lack access to essential health care, including sexual and reproductive health care (e.g., contraception, STI treatment, prenatal or postnatal care, etc.).[7-10] Moreover, when they do access sexual and reproductive health care, youth often report being stigmatized and judged by providers who lack empathy or whose care is not youth-centered.[11,12]

Individual, community, and system-related challenges constrain efforts to promote sexual health among young people who have experienced the child welfare and/or justice system, homelessness, and/or disconnection.[7,13-15] For example, youth involved in the child welfare or justice systems report challenges accessing condoms or sexual health information, limited knowledge about sexual health, and policies that restrict their access to sexual and reproductive health care services.[9,16,17] Barriers like these are associated with increased sexual risk-taking (i.e., unprotected sex, early sexual debut), unintended pregnancies, STI transmission, and less frequent receipt of prenatal and postpartum care relative to their peers.[18-21] Providing access to sexual and reproductive health care includes educating youth to inform their decision making, equipping them with resources to make informed decisions, and providing them with trauma-informed services tailored to their unique needs. Access to sexual and reproductive health care can help young people avoid unintended teen pregnancy.

Findings

Seven dimensions of access to sexual and reproductive health care

We conceptualize access to sexual and reproductive health care using seven overlapping and interconnected dimensions (Table 1), organized into three phases: discovering, seeking, and receiving. During the **discovering phase**, young people must be *aware* that a service or provider exists to meet their needs. During the **seeking phase**, young people consider whether the provider *accommodates* their individual needs, whether the services they need are *available* and *affordable*, and whether the physical location of the provider is *accessible*. During the **receiving phase,** young people focus on the quality of care offered and whether their provider considers their individual background and experiences. Thinking about these three phases of access may help professionals support and increase young people's access to sexual and reproductive health care.

These dimensions are drawn and adapted from two conceptual frameworks related to health care access. The first was published by Penchansky and Thomas in 1981[22] and the second was published by Levesque and colleagues in 2013.[23] The frameworks conceptualize access as multi-dimensional—a function of the fit between the characteristics of health care providers and the characteristics of health care users. Many of the dimensions overlap, but there are instances where new dimensions were identified in the later framework developed by Levesque.

Table 1. Seven Dimensions of Access to Sexual and Reproductive Health Care: Definitions and Examples

	Dimension	Definition	Example	
			Facilitator	**Barrier**
Discovering	Approachability	Extent to which health care providers make young people aware of their existence	A clinic does targeted outreach to youth experiencing homelessness through a street outreach program using peer educators.	No mention of youth- specific services on the provider's website or written materials.
Seeking	Accommodation	Extent to which health care providers consider young people's needs and preferences, as well as the constraints that limit their options	A clinic is open until 7:00 pm on weeknights and from 9:00 am to 4:00 pm on Saturdays for youth.	The clinic is by appointment only with limited hours.
	Availability	Extent to which providers offer the health care services youth need	A school-based health center provides sexual and reproductive health care services to students.	A school-based health center only provides condoms in the waiting area.
	Affordability	Extent to which the cost of health care services is aligned with the youth's ability to pay	A clinic offers a sliding scale fee for young people who are uninsured.	Youth must pay a co- pay before a service is provided.
	Accessibility	Extent to which the location of services is reachable	A clinic is centrally located with easy access to public transit.	A clinic is in a remote location only accessible by car.
Receiving	Acceptability	Extent to which health care providers recognize, consider, and honor cultural, social, and individual factors that influence care	A health care provider uses motivational interviewing to assess a youth's sexual health needs.	A health care provider develops a care plan without consulting the young person.
	Adequacy	Extent to which health care services are appropriate, timely, integrated, and continuous	A clinic offers youth care coordinators to follow-up on the visit and connect to other resources.	A young person is given a list of services with no referral or follow-up call.

Discovering

Approachability: The extent to which health care service providers make young people aware of their existence

Young people cannot access sexual and reproductive health care services of which they are not aware. Likewise, youth-supporting professionals cannot refer youth to health care services that they do not know about. Awareness requires targeted outreach efforts by health care providers to youth and the professionals who support them.[24] Young people need to know that health care services exist and can improve their health,[22] while youth-supporting professionals must have up-to-date information about health care services to which youth can be referred. One study by Beal and colleagues (2020) found that providing youth in foster care with youth-informed educational materials—including information about health care providers, sexual and reproductive health, and appropriate levels of care—increased their self- reported health care utilization.[25] Based on their interviews with service providers about access to health care among youth experiencing homelessness, Gallardo and colleagues (2020) recommended enhancing the approachability of services by intentionally identifying young people's health care needs and linking them to appropriate services.[24]

Seeking

Accommodation: The extent to which service providers consider young people's needs and preferences, as well as the constraints that limit their options for care

Health care services are often delivered in ways that are not youth-centered (i.e., a lack of consideration for school, work, or other commitments that limit availability; use of medical jargon or technical terms difficult to understand; or requiring in-person visits to be seen). For example, youth experiencing homelessness and youth in foster care may not have learned how to identify a health care provider, schedule a medical appointment, or otherwise navigate the health care system.[24,4] Lack of knowledge about their personal and family medical history can make it difficult for these young people to complete medical intake forms.[24,27] Youth experiencing homelessness may have trouble accessing health care services because many lack a state ID or proof of health insurance.[24] Limited availability of walk-in appointments, hours that conflict with young people's school or work schedules, and the lack of a primary health care provider lead many youth experiencing homelessness to rely on emergency departments for their health care.[24,28,29]

Availability: The extent to which providers offer the health care services youth need

The availability of sexual and reproductive health care is affected by policies that either mandate or restrict access.[24,30] Some policies affect youth involved in a particular system. For example, a study conducted in 2021 across 17 juvenile detention and committed centers in California, Maryland, and Georgia found variation in the services provided to pregnant youth, even though all facilities offered obstetric and gynecological care. These discrepancies resulted in differing availability of on- or off-site OB/GYNs, pregnancy testing, and abortions (including the requirement of judge approval).[31] Meanwhile, youth who are under court supervision but not incarcerated are left to address their sexual and reproductive health on their own, since they are not protected under the same mandates as those in detention facilities that require such care.[10,32]

Affordability: The extent to which the cost of services is aligned with young people's ability to pay

Health insurance coverage is a primary determinant of sexual and reproductive health care affordability, particularly for youth.[22,33] Young people are typically covered by Medicaid while they are in foster care and continue to be eligible for Medicaid until their 26th birthday if they age out of care.[25] Young people involved with the justice system may have access to sexual and reproductive health care while they are detained or incarcerated but may lack health insurance when they are living in their communities, which can result in discontinuity of care.[33,34] Young people experiencing homelessness may be covered by their parent/caregiver's insurance but may not possess proof of insurance or other important documentation needed to utilize their coverage.[35] They may also be eligible for Medicaid if they live in a state that has enacted Medicaid expansion, although several states have declined to expand Medicaid in recent years.[35,36] In 2010, the Patient Protection and Affordable Care Act expanded access to health insurance among young people and required that contraception and some preventative sexual and reproductive health services are covered by insurance; however, young people must be insured to take advantage of this.[36] The Hyde Amendment and additional state laws prohibit the use of federal funds and federally funded health care for abortion care, except in cases of rape, incest, or a life-threatening pregnancy.

Out-of-pocket expenses such as coinsurance payments, as well as transportation costs, can also limit young people's ability to access sexual and reproductive health care.[22,37] To mitigate issues related to affordability, Gallardo and colleagues found that health care providers used funds from multiple state and federal grants and collaborated across health care organizations to address the health care needs of youth experiencing homelessness.[24]

Accessibility: The extent to which the location of services is reachable

The physical location of a clinic is an important factor to consider for youth. Lack of transportation can be a barrier for youth who don't live near a clinic and rely on family or friends or public transportation to get to appointments.[38-40] Youth are also vulnerable to sudden moves to communities where sexual and reproductive health care is inaccessible, which can interrupt the continuity of their care. For example, youth in foster care may be moved from one placement to another, youth experiencing homelessness may be forced to move due to shelter stay limits, and youth in the juvenile justice system may be moved from a detention facility back into the community.[26,41-43] In addition to a clinic being centrally located or reachable by public transit, it is necessary to account for the physical safety of the environment for youth. Current research does not specifically discuss physical safety related to accessing sexual and reproductive health care, but it has been linked to whether youth decide to engage in a program or access a service of any type.[44] Although studies have shown that telehealth can increase the accessibility of sexual health services and information for adolescents,[45] a study of young people experiencing food and housing insecurity found that they perceived greater barriers to accessing contraceptives via telehealth than their peers.[46]

Receiving

Acceptability: The extent to which health care service providers recognize, consider, and honor cultural, social, and individual factors

Youth view health care as more acceptable when providers are respectful, nonjudgmental, and work to establish trust.[30,47-49] A history of trauma is common among youth experiencing homelessness, or in the child welfare and juvenile justice systems.[24] Health care providers who understand the impact of trauma on young people's behaviors may demonstrate the flexibility and open-mindedness needed in their interactions with youth to avoid retraumatizing them.[24] Confidentiality and privacy are also critical to young people's perceptions of health care acceptability.[10,31,50] Health care may be perceived as unacceptable if youth fear that a provider will notify their parent or caregiver (e.g., relative or foster parent)[14,32,51,52] or if they are required to disclose information about their sexual or reproductive health to others, such as a caseworker or attorney, as a precondition of access.[30,53] Sexual and reproductive health is a sensitive topic where youth are often met with adult disapproval, judgment, or stigma toward their decisions or questions around their sexual health.

Adequacy: The extent to which the health care services provided are appropriate, timely, integrated, and continuous

High mobility among youth experiencing homelessness reduces their likelihood of repeated encounters with the same health care provider. High mobility challenges youth who experience homelessness to maintain comprehensive medical records, coordinate care across health care settings, and/or establish strong relationships between providers and youth.[24] However, youth who experience the justice system benefit from continuity of care through integrated systems, including public health and court systems. Health care providers and youth-supporting professionals struggle to offer consistent, continuous, and coordinated care to youth who experience the child welfare and/or justice systems, homelessness, and/or disconnection from school and work due to a lack of knowledge about confidentiality and Health Insurance Portability and Accountability Act (HIPAA) laws.[32] Overall, there is limited literature on the adequacy of sexual and reproductive health care services for youth across these populations.

Reflections

Our review of the literature on the seven dimensions of access to sexual and reproductive health uncovered relatively little to no research related to health care access among youth who are disconnected from school and work. While youth who are disconnected were not specifically identified in the literature, we are aware that they may overlap with other populations (i.e., youth experiencing homelessness, involved with the child welfare systems, etc.) and may be represented within those findings. In addition, access to sexual and reproductive health care is highly dependent on the state in which youth live and on the systems in which they are involved.

The literature we reviewed points to several strategies that could be implemented by health care service providers to increase access to sexual and reproductive health care for youth who have experienced the child welfare or juvenile justice systems, homelessness, or disconnection. Youth-supporting professionals outside of the clinical space could also benefit by using the dimensions to assess organizations and/or providers to which they refer young people.

Phase	Strategy to implement or identify when assessing services for youth
Discovering	Outreach efforts are targeted and use branded materials that are youth-friendly and written using plain, age-appropriate language.[31,54]
Seeking	Extended hours, walk-in appointments, and mobile services are offered. Accommodations are made to offset transportation costs, including gift cards or bus/public transit tokens.[15,46] Health care service costs, payment options, and types of health insurance accepted are stated upfront. Communications for youth consider disabilities and/or language barriers.[55-58]
Receiving	Confidentiality is emphasized to youth, including explanation of state policies, their rights, and how confidentiality is maintained in a clinic setting.[59] Continuity of care is considered, including the provision of care navigators, co-location of health care services with other social services, and interagency partnerships to facilitate health care linkages.[24,60]

Methods

With input from five youth-supporting professionals and two youth advisors, we adapted the definitions for each of the dimensions to be more relevant to young people. Then, we used Google Scholar and PubMed to search for peer-reviewed and grey literature published from 2018 to 2023. We limited our search to these five years because access to sexual and reproductive health care has been affected by recent changes in policies and the political climate. We used search terms related to each of the seven dimensions that included specific youth populations: youth in the child welfare or juvenile justice systems, experiencing homelessness, or disconnected from school and work. Our search identified 62 peer- reviewed articles and 17 resources, which we reviewed, coded, and summarized in a spreadsheet. Equity and content reviews were completed by members of Activate's Research Alliance to ensure the accuracy, relevance, and appropriateness of our research synthesis.

References

[1] Chapin Hall. (n.d.). *Voices of youth count: Understanding and ending youth homelessness*. Retrieved February 25, 2024, from https://www.chapinhall.org/project/voices-of-youth-count/

[2] The Annie E. Casey Foundation. (2023, April). *Children in foster care by age group in United States*. https://datacenter.aecf.org/data/line/6244-children-in-foster-care-by-age-group?loc=1&loct=1#1/any/false/2048,870,573,869,36,868/asc/122/12988

[3] Puzzanchera, C., Hockenberry, S., Sladky, T. J., & Kang,W. (2020). *Juvenile residential facility census databook (JRFCDB)*. National Center for Juvenile Justice. https://www.ojjdp.gov/ojstatbb/jrfcdb/asp/display_profile.asp

[4] Sickmund, M. (2023). *Residential placement trends 1975- 2019* [Unpublished data]. National Center for Juvenile Justice.

[5] Sickmund, M., Sladky, T. J., Puzzanchera, C., & Kang, W. (2022). *Easy access to the census of juveniles in residential placement (EZACJRP)*. National Center for Juvenile Justice. https://www.ojjdp.gov/ojstatbb/ezacjrp/

[6] Lewis, K. (2023). *Ensuring an equitable recovery: Addressing Covid-19's impact on education.* New York: Measure of America, Social Science Research Council. https://ssrc-static.s3.amazonaws.com/moa/EnsuringAnEquitableRecovery.pdf

[7] Chelvakumar, G., Ford, N., Kapa, H. M., Lange, H. L. H., McRee, A.-L., & Bonny, A. E. (2017). Healthcare barriers and utilization among adolescents and young adults accessing services for homeless and runaway youth. *Journal of Community Health, 42*(3), 437-443. https://doi.org/10.1007/s10900-016-0274-7

[8] Plax, K., Garwood, S., Jain, R., & Kaushik, G. (2018). Increasing access to contraception for adolescent young women in foster care. *Pediatrics, 141*(1_Meeting Abstract), Article 52. https://doi.org/10.1542/peds.141.1MA1.52

[9] Robertson, R. D. (2013). The invisibility of adolescent sexual development in foster care: Seriously addressing sexually transmitted infections and access to services. *Children and Youth Services Review, 35*(3), 493-504. https://doi.org/10.1016/j.childyouth.2012.12.009

[10] Tam, C. C., Dauria, E. F., Cook, M. C., Ti, A., Comfort, M., & Tolou-Shams, M. (2019). Justice involvement and girls' sexual health: Directions for policy and practice. *Children and Youth Services Review, 98,* 278-283. https://doi.org/10.1016/j.childyouth.2019.01.009

[11] Ross, C., Kools, S., & Laughon, K. (2020). "It was only me against the world." Female African American adolescents' perspectives on their sexual and reproductive health learning and experiences while in foster care: Implications for positive youth development. *Children and Youth Services Review, 118*, Article 105463. https://doi.org/10.1016/j.childyouth.2020.105463

[12] Udell, W., Mohammed, S., & Breland, D. (2017). Barriers to independently accessing care among detention youth. *Journal of Adolescent Research, 32*(4), 433-455. https://doi.org/10.1177/0743558416653219

[13] Durante, J. C., Stone, K., Sood, A., Brady, P., & Six-Means, A. (2023). Barriers to healthcare access for adolescents and young adults formerly in foster care and impact on reproductive health. *Journal of Pediatric & Adolescent Gynecology, 36*(2), 182. https://doi.org/10.1016/j.jpag.2023.01.109

[14] Paisi, M., March-McDonald, J., Burns, L., Snelgrove- Clarke, E., Withers, L., & Shawe, J. (2021). Perceived barriers and facilitators to accessing and utilizing sexual and reproductive healthcare for people who experience homelessness: A systematic review. *BMJ Sexual & Reproductive Health, 47*, 211-220. https://doi.org/10.1136/bmjsrh-2020-200799

[15] Aparicio, E. M., Kachingwe, O. N., Fleishman, J., & Novick, J. (2021). Birth control access and selection among youths experiencing homelessness in the United States: A review. *Health & Social Work, 46*(3), 171-186. https://doi.org/10.1093/hsw/hlab004

[16] Boustani, M. M., Frazier, S. L., & Lesperance, N. (2017). Sexual health programming for vulnerable youth: Improving knowledge, attitudes, and behaviors. *Children and Youth Services Review, 73*, 375-383. https://doi.org/10.1016/j.childyouth.2017.01.013

[17] Hudson, A. L. (2012). Where do youth in foster care receive information about preventing unplanned pregnancy and sexually transmitted infections? *Journal of Pediatric Nursing, 27*(5), 443-450.

[18] Berezin, M. N., Javdani, S., & Godfrey, E. (2022). Predictors of sexual and reproductive health among girls involved in the juvenile legal system: The influence of resources, race, and ethnicity. *Children and Youth Services Review, 136*, Article 106426. https://doi.org/10.1016/j.childyouth.2022.106426

[19] James, S., Montgomery, S. B., Leslie, L. K., & Zhang, J. (2009). Sexual risk behaviors among youth in the child welfare system. *Children and Youth Services Review, 31*(9), 990-1000. https://doi.org/10.1016/j.childyouth.2009.04.014

[20] Finigan-Carr, N., Steward, R., & Watson, C. (2018). Foster youth need sex ed, too!: Addressing the sexual risk behaviors of system-involved youth. *American Journal of Sexuality Education, 13*(3), 310-323. https://doi.org/10.1080/15546128.2018.1456385

[21] National Center for Youth Law. (2023). *Landmark report tracks, highlights key health outcomes for youth in foster care*. https://youthlaw.org/news/landmark-report-tracks-highlights-key-health-outcomes-youth-foster-care

[22] Penchansky, R., & Thomas, J. W. (1981). The concept of access: Definition and relationship to consumer satisfaction. *Medical Care, 19*(2), 127-140. https://doi.org/10.1097/00005650-198102000-00001

[23] Levesque, J.-F., Harris, M. F., & Russell, G. (2013). Patient-centred access to health care: Conceptualising access at the interface of health systems and populations. *International Journal for Equity in Health, 12*, Article 18. https://doi.org/10.1186/1475-9276-12-18

[24] Gallardo, K. R., Santa Maria, D., Narendorf, S., Markham, C. M., Swartz, M. D., & Batiste, C. M. (2020). Access to healthcare among youth experiencing homelessness: Perspectives from healthcare and social service providers. *Children and Youth Services Review, 115*, Article 105094. https://doi.org/10.1016/j.childyouth.2020.105094

[25] Beal, S. J., Nause, K., Lutz, N., & Greiner, M. V. (2020). The impact of health care education on utilization among adolescents preparing for emancipation from foster care. *Journal of Adolescent Health, 66*(6), 740-746. https://doi.org/10.1016/j.jadohealth.2019.12.009

[26] Beal, S. J., Ammerman, R. T., Mara, C. A., Nause, K., & Greiner, M. V. (2022). Patterns of healthcare utilization with placement changes for youth in foster care. *Child Abuse & Neglect, 128*, Article 105592. https://doi.org/10.1016/j.chiabu.2022.105592

[27] Greiner, M. V., & Beal, S. J. (2018). Developing a health care system for children in foster care. *Health Promotion Practice, 19*(4), 621-628. https://doi.org/10.1177/1524839917730045

[28] Eapen, D. J., Bergh, R., Lucas, S., Narendorf, S. C., Begun, S., & Santa Maria, D. (2023). Experiences of pregnancy prevention among youth experiencing homelessness. *Children and Youth Services Review, 153*, Article 107115. https://doi.org/10.1016/j.childyouth.2023.107115

[29] Bright, M. A., Kleinman, L., Vogel, B., & Shenkman, E. (2018). Visits to primary care and emergency department reliance for foster youth: Impact of Medicaid managed care. *Academic Pediatrics, 18*(4), 397-404. https://doi.org/10.1016/j.acap.2017.10.005

[30] Dworsky, A. (2018). The sexual and reproductive health of youth in foster care. In E. Trejos-Castillo & N. Trevino-Schafer (eds.), *Handbook of foster youth* (1st ed.). Routledge. https://doi.org/10.4324/9781351168243

[31] Kim, M., Sufrin, C., Nowotny, K., Beal, L., & Jiménez, M. C. (2021). Pregnancy prevalence and outcomes in 3 United States juvenile residential systems. *Journal of Pediatric & Adolescent Gynecology, 34*(4), 546-551. https://doi.org/10.1016/j.jpag.2021.01.005

[32] Tolou-Shams, M., Dauria, E. F., Rosen, R. K., Clark, M. A., Spetz, J., Levine, A., Marshall, B. D. L., Folk, J. B., Gopalakrishnan, L., Nunn, A., & the Project emPOWER'D Expert Consultant Panel. (2022). Bringing juvenile justice and public health systems together to meet the sexual and reproductive health needs of justice-involved youth. *American Journal of Orthopsychiatry, 92*(2), 224-235. https://psycnet.apa.org/doi/10.1037/ort0000604

[33] Elkington, K.S., Lee, J., Brooks, C., Watkins, J., & Wasserman, G. A. (2020). Falling between two systems of care: Engaging families, behavioral health and the justice systems to increase uptake of substance use treatment in youth on probation. *Journal of Substance Abuse Treatment, 112*, 49-59. https://doi.org/10.1016/j.jsat.2020.01.008

[34] Ti, A., Burns, R., Barnert, E. S., Sufrin, C., & Dehlendorf, C. (2019). Perspectives on patient-centered family planning care from incarcerated girls: A qualitative study. *Journal of Pediatric & Adolescent Gynecology, 32*(5), 491-498. https://doi.org/10.1016/j.jpag.2019.05.013

[35] Winetrobe, H., Rice, E., Rhoades, H., & Milburn, N. (2016). Health insurance coverage and healthcare utilization among homeless young adults in Venice, CA. *Journal of Public Health, 38*(1), 147-155. https://doi.org/10.1093/pubmed/fdv001

[36] American College of Obstetricians and Gynecologists. (n.d.). *Affordable Care Act Reproductive Health*. Retrieved Mach 14, 2024 from https://www.acog.org/practice-management/payment-resources/affordable-care-act-reproductive-health

[37] Kemp, K. (2022). *Impact of Roe v. Wade on youth involved in the justice system*. Coalition for Juvenile Justice. https://juvjustice.org/blog/impact-of-roe-v-wade-on-youth-involved-in-the-justice-system/

[38] Johnston-Walsh, L. (2020). Life is a highway: Addressing legal obstacles to foster youth driving. *Seattle Journal for Social Justice, 19*(1), 279-307. https://digitalcommons.law.seattleu.edu/sjsj/vol19/iss1/17/

[39] Murphy, E. R. (2019). Transportation and homelessness: A systematic review. *Journal of Social Distress and Homelessness, 28*(2), 96-105. https://doi.org/10.1080/10530789.2019.1582202

[40] Barnert, E. S., Abrams, L. S., Lopez, N., Sun, A., Tran, J., Zima, B., & Chung, P. J. (2020). Parent and provider perspectives on recently incarcerated youths' access to healthcare during community reentry. *Children and Youth Services Review, 110*, Article 104804. https://doi.org/10.1016/j.childyouth.2020.104804

[41] Aykanian, A. (2018). Service and policy considerations when working with highly mobile homeless youth: Perspectives from the frontlines. *Children and Youth Services Review, 84*, 9-16. https://doi.org/10.1016/j.childyouth.2017.11.014

[42] Schonberg, D., Bennett, A. H., & Gold, M. (2020). The contraceptive needs and pregnancy desires of women after incarceration: A qualitative study. *Contraception, 101*(3), 194-198. https://doi.org/10.1016/j.contraception.2019.10.015

[43] Kas-Osoka, C. N. (2019). *Service providers' perspectives on organizational and policy level factors impacting the sexual health of juvenile offenders: A grounded theory study* [Doctoral dissertation, University of Georgia]. https://openscholar.uga.edu/record/9040?v=pdf

[44] Hallman, K. (2019). *Girl-centered participatory assessment tools*. Indigenous Adolescent Girls' Empowerment Network (IMAGEN), GIRL Center for Innovation, Research, and Learning. https://doi.org/10.31899/pgy17.1050

[45] Saragih, I. D., Imanuel Tonapa, S., Porta, C. M., & Lee, B.-O. (2024). Effects of telehealth interventions for adolescent sexual health: A systematic review and meta- analysis of randomized controlled studies. *Journal of Telemedicine and Telecare, 30*(2), 201-214. https://doi.org/10.1177/1357633X211047762

[46] Yarger, J., Hopkins, K., Elmes, S., Rossetto, I., De La Melena, S., McCulloch, C. E., White, K., & Harper, C. C. (2023). Perceived access to contraception via telemedicine among young adults: Inequities by food and housing insecurity. *Journal of General Internal Medicine, 38*(2), 302-308. https://doi.org/10.1007/s11606-022-07669-0

[47] Decker, M. J., Atyam, T. V., Zárate, C. G., Bayer, A. M., Bautista, C., & Saphir, M. (2021). Adolescents' perceived barriers to accessing sexual and reproductive health services in California: A cross-sectional survey. *BMC Health Services Research, 21*, Article 1263. https://doi.org/10.1186/s12913-021-07278-3

[48] Grennan, T., Edward, J., & Chown, S. (2020). Sexually transmitted infections and sexual healthcare of homeless and street-involved youth. In C. Warf & G. Charles (eds.), *Clinical care for homeless, runaway, and refugee youth: Intervention approaches, education and research directions* (pp. 243-270). Springer, Cham. https://doi.org/10.1007/978-3-030-40675-2_12

[49] Swan, L. E. T., Auerbach, S. L., Ely, G. E., Agbemenu, K., Mencia, J., & Araf, N. R. (2020). Family planning practices in Appalachia: Focus group perspectives on service needs in the context of regional substance abuse. *International Journal of Environmental Research and Public Health, 17*(4), Article 1198. https://doi.org/10.3390/ijerph17041198

[50] Shafii, T., & Levine, D. (2020). Office-based screening for sexually transmitted infections in adolescents. *Pediatrics, 145*(Supplement 2), S219-S224. https://doi.org/10.1542/ peds.2019-2056K

[51] Zuniga, C., Wollum, A., Katcher, T., & Grindlay, K. (2019). Youth perspectives on pharmacists' provision of birth control: Findings from a focus group study.*Journal of Adolescent Health, 65*(4), 514-519. https://doi.org/10.1016/j.jadohealth.2019.05.013

[52] Pampati, S., Liddon, N., Dittus, P. J., Adkins, S. H., & Steiner, R. J. (2019). Confidentiality matters but how do we improve implementation in adolescent sexual and reproductive health care? *Journal of Adolescent Health, 65*(3), 315-322. https://doi.org/10.1016/j.jadohealth.2019.03.021

[53] Fitzgerald, M. (2023, May 18). High stakes, silent systems: Part two: Foster care's conflicting policies for sexual and reproductive health. *The Imprint*. https://imprintnews.org/foster-care/foster-cares-conflicting-policies-for-sexual-and-reproductive-health/241278

[54] Reichlin Cruse, L., & Bernstein, A. (2020). *Serving the sexual and reproductive health needs of community college students: Promising practices to promote student success*. Institute for Women's Policy Research. https://eric.ed.gov/?id=ED612435

[55] Fletcher, J., Yee, H., Ong, B., & Roden, R. C. (2023). Centering disability visibility in reproductive health care: Dismantling barriers to achieve reproductive equity. *Women's Health, 19,* Article 17455057231197166. https://doi.org/10.1177/17455057231197166

[56] Squires, A. (2018). Strategies for overcoming language barriers in healthcare. *Nursing Management, 49*(4), 20-27. https://doi.org/10.1097/01.NUMA.0000531166.24481.15

[57] Verlenden, J. V., Bertolli, J., & Warner, L. (2019). Contraceptive practices and reproductive health considerations for adolescent and adult women with intellectual and developmental disabilities: A review of the literature. *Sexuality and Disability, 37*(4), 541-557. https://doi.org/10.1007/s11195-019-09600-8

[58] Taouk, L. H., Fialkow, M. F., & Schulkin, J. A. (2018). Provision of reproductive healthcare to women with disabilities: A survey of obstetrician–gynecologists' training, practices, and perceived barriers. *Health Equity*, *2*(1), 207-215. https://doi.org/10.1089/heq.2018.0014

[59] Fitzgerald, M. (2023, May 9). High stakes, silent systems: Part one: Foster care's missing policies for sexual and reproductive health. *The Imprint*. https://imprintnews.org/top-stories/high-stakes-silent-systems-part-1/240790

[60] Sullivan, E. E., Love, H. L., Fisher, R. L., Schlitt, J. J., Cooke, E. L., & Soleimanpour, S. (2022). Access to contraceptives in school-based health centers: Progress and opportunities. *American Journal of Preventive Medicine, 62*(3), 350-359. https://doi.org/10.1016/j.amepre.2021.08.030

Acknowledgements

The authors would like to thank the many contributors to this resource. Experts who informed the resource include Nia West-Bey, Maia Pruim, Amanda Drake Purington, Amandalyn Stallings, David Bell, MD, Mason Persons, Lindsey White, and Courtney Gibbs. Further thanks go to the several youth-supporting professionals and young people who contributed but are not named here. We also thank other Activate project team members who assisted in the development of this resource, including Amy Dworsky, co-principal investigator, Jan DeCoursey, project director, and Mindy Scott, principal investigator. And we are grateful for the contributions of other Child Trends and Chapin Hall staff who contributed to this resource, including Matthew Rivas-Koehl, Kristen Harper and Elizabeth Wildsmith, PhD, Child Trends. Finally, a special thank you to the Child Trends communications staff, especially Olga Morales, Catherine Nichols, Brent Franklin, and Stephen Russ.

Suggested citation: Offiong, A., Tallant, J., Rust, K., Wulah, & A., Huang, L.A. (2024). *Seven dimensions of access to sexual and reproductive health care for youth*. Child Trends.

About the Authors

Asari Offiong, PhD, MPH is a senior research scientist at Child Trends and a member of Activate's Need Assessment and Research Translation Teams.

Julia Tallant is a research analyst at Child Trends and a member of Activate's Need Assessment and Research Translation Teams.

Katelyn Rust is a senior community liaison at Child Trends and a member of Activate's project team.

Abigail Wulah, MSPH is a research analyst at Child Trends and a member of Activate's Research Translation Team.

Lee Ann Huang, MPP is a researcher at Chapin Hall and a member of Activate's Research Translation Team.

This project is supported by the Office of Population Affairs of the U.S. Department of Health and Human Services (HHS) as part of a financial assistance award totaling $2,184,000 with 100 percent funded by OPA/OASH/HHS. The contents are those of the author(s) and do not necessarily represent the official views of, nor an endorsement by, OPA/OASH/HHS or the U.S. government. For more information, please visit https://opa.hhs.gov.

Child Trends

CHAPIN HALL